



Date: Wednesday, 5/18/2007 8:13:43 AM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 206/OH-58 SADDLE, INBOARD, RIGHT SIDE - UNDER  
REVIEW

Job Number: 32381

Part Number: D29381

Job Number:



Seq. #:

Machine Or Operation:

Description:

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

07/06/09

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

151

07-06-11

16

7.0

SPRAY PAINTING

SPRAY PAINTING



Comment: SPRAY PAINTING

R/O: 4058 C 07/06/27 (2)

-PRIME

-PAINT DELFLEET BLUE

-CLEAR DELFLEET

8.0

QC14

INSPECT SPRAY PAINT



Comment: INSPECT SPRAY PAINT

07-07-03 (2)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

07/7/4 (2)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

07/07/04 (2)

Job Completion



W SKOTOM

Description: 206 Saddle, Outboard, Left side	Part Number: D2938-1
Inspection Dwg: D2938 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.116	.116	.117	.118		
B	0.100	0.140		.114	.116	.117	.118		
C	0.100	0.140		.118	.118	.118	.118		
D	0.210	0.230		.224	.222	.221	.222		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.499	2.500	2.500		
H	0.510	0.515		0.511	0.511	0.511	0.511		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.257	.257	.259	.259		
L	0.312	0.317		.315	.315	.315	.315		
M	0.235	0.240		0.239	0.231	0.239	0.239		
N	0.100	0.140		.121	.121	.121	.120		
O	0.540	0.560		.550	.551	.550	.549		
P	0.490	0.510		.499	.498	.498	.501		
Q	3.715	3.725		3.719	3.719	3.719	3.719		
R	2.720	2.760		2.740	2.740	2.740	2.740		
S	0.240	0.270		.250	.250	.251	.252		
T	0.100	0.180		.140	.140	.140	.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.320	.320	.320	.320		
X	1.250	1.270		1.260	1.263	1.260	1.261		
Y	1.565	1.585		1.572	1.575	1.573	1.573		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: JL  
Date: 07/05/22 / 07/06/07

Audited by: GW  
Date: 07/06/09

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b> 32381
<b>Description:</b> 206 Saddle, Outboard, Left side	<b>Part Number:</b> D2938-1
<b>Inspection Dwg:</b> D2938 Rev. C	<b>Page 1 of 1</b>

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.100	0.140		.119	.119	.118	.119"		
B	0.100	0.140		.118	.119	.118	.119"		
C	0.100	0.140		.119	.119	.119	.125"		
D	0.210	0.230		.222	.220	.220	.225"		
E	1.245	1.255		1.250	1.250	1.250	1.250"		
F	1.245	1.255		1.250	1.250	1.250	1.250"		
G	2.495	2.505		2.500	2.500	2.500	2.500"		
H	0.510	0.515		.511	.511	.511	.511"		
I	1.572	1.582		1.577	1.577	1.577	1.580"		
J	2.495	2.505		2.500	2.500	2.500	2.500"		
K	0.257	0.262		.259	.259	.259	.259"		
L	0.312	0.317		.315	.315	.315	.315"		
M	0.235	0.240		.239	.239	.239	.239"		
N	0.100	0.140		.123	.122	.122	.123"		
O	0.540	0.560		.550	.549	.551	.551"		
P	0.490	0.510		.502	.498	.498	.502"		
Q	3.715	3.725		3.719	3.719	3.719	3.721"		
R	2.720	2.760		2.740	2.740	2.740	2.740"		
S	0.240	0.270		.250	.251	.250	.254"		
T	0.100	0.180		.140	.140	.140	.140"		
U	1.625	1.635		1.630	1.630	1.630	1.631"		
V	1.362	1.372		1.367	1.367	1.367	1.370"		
W	0.316	0.321		.320	.320	.320	.320"		
X	1.250	1.270		1.265	1.263	1.263	1.263"		
Y	1.565	1.585		1.577	1.576	1.576	1.576"		
Z	0.178	0.198		.188	.188	.188	.188"		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: J.L. / J.F. / J.M.	Audited by: J.M.
Date: 07/05/23 / 07/06/23	Date: 07/06/23

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b>	32381
<b>Description:</b> 206 Saddle, Outboard, Left side		<b>Part Number:</b>	D2938-1
<b>Inspection Dwg:</b> D2938 Rev. C		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.100	0.140		.119"	.119"	.117"	.118"		
B	0.100	0.140		.120"	.122"	.121"	.121"		
C	0.100	0.140		.126"	.127"	.125"	.126"		
D	0.210	0.230		.224"	.225"	.225"	.225"		
E	1.245	1.255		1.250"	1.250"	1.252"	1.251"		
F	1.245	1.255		1.250"	1.250"	1.251"	1.251"		
G	2.495	2.505		2.501"	2.501"	2.503"	2.502"		
H	0.510	0.515		0.511"	0.511"	0.511"	0.511"		
I	1.572	1.582		1.581"	1.581"	1.581"	1.580"		
J	2.495	2.505		2.501"	2.502"	2.503"	2.501"		
K	0.257	0.262		0.258"	0.258"	0.258"	0.258"		
L	0.312	0.317		0.313"	0.313"	0.313"	0.313"		
M	0.235	0.240		0.231"	0.231"	0.231"	0.231"		
N	0.100	0.140		.123"	.123"	.123"	.123"		
O	0.540	0.560		.550"	.551"	.552"	.550"		
P	0.490	0.510		.504"	.504"	.507"	.505"		
Q	3.715	3.725		3.712"	3.722"	3.722"	3.724"		
R	2.720	2.760		2.740"	2.740"	2.740"	2.740"		
S	0.240	0.270		.253"	.258"	.254"	.254"		
T	0.100	0.180		.140"	.140"	.140"	.140"		
U	1.625	1.635		1.632"	1.632"	1.633"	1.632"		
V	1.362	1.372		1.370"	1.371"	1.369"	1.369"		
W	0.316	0.321		0.319"	0.319"	0.319"	0.319"		
X	1.250	1.270		1.262"	1.259"	1.261"	1.261"		
Y	1.565	1.585		1.576"	1.572"	1.575"	1.575"		
Z	0.178	0.198		A.188"	A.188"	A.188"	A.188"		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: J.F.	Audited by: J.R.
Date: 07/05/12 / 07/06/07	Date: 07/06/09

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

<b>DART AEROSPACE LTD</b>	<b>Work Order:</b>	32381
<b>Description:</b> 206 Saddle, Outboard, Left side	<b>Part Number:</b>	D2938-1
<b>Inspection Dwg:</b> D2938 Rev. C		Page 1 of 1


Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.100	0.140		.120"	.118"	.119"	.119"		
B	0.100	0.140		.120"	.120"	.122"	.122"		
C	0.100	0.140		.126"	.126"	.126"	.126"		
D	0.210	0.230		.234"	.236"	.226"	.226"		
E	1.245	1.255		1.250"	1.250"	1.250"	1.250"		
F	1.245	1.255		1.251"	1.250"	1.250"	1.250"		
G	2.495	2.505		2.502"	2.501"	2.501"	2.501"		
H	0.510	0.515		0.511"	0.511"	0.511"	0.511"		
I	1.572	1.582		1.580"	1.580"	1.580"	1.580"		
J	2.495	2.505		2.503"	2.501"	2.501"	2.501"		
K	0.257	0.262		0.258"	0.258"	0.258"	0.258"		
L	0.312	0.317		0.313"	0.313"	0.313"	0.313"		
M	0.235	0.240		0.239"	0.239"	0.239"	0.239"		
N	0.100	0.140		.124"	.123"	.123"	.123"		
O	0.540	0.560		.550"	.551"	.550"	.549"		
P	0.490	0.510		.502"	.504"	.502"	.502"		
Q	3.715	3.725		3.721"	3.722"	3.722"	3.722"		
R	2.720	2.760		2.740"	2.740"	2.740"	2.740"		
S	0.240	0.270		.254"	.255"	.255"	.255"		
T	0.100	0.180		.140"	.140"	.140"	.140"		
U	1.625	1.635		1.633"	1.633"	1.633"	1.633"		
V	1.362	1.372		1.370"	1.369"	1.369"	1.369"		
W	0.316	0.321		0.319"	0.319"	0.319"	0.319"		
X	1.250	1.270		1.262"	1.262"	1.261"	1.261"		
Y	1.565	1.585		1.575"	1.576"	1.575"	1.575"		
Z	0.178	0.198		.188"	.188"	.188"	.188"		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: J.F.  
Date: 07/03/24 / 07/06/07


Audited by: [Signature]  
Date: 07/06/09

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	[Signature]




SECTION A-A


ENGRAVE DART LOGO TO MAX DEPTH OF 0.005 WITH MIN RAD 0.250



VIEW C-C



SECTION B-B



D2938-1 LH SADDLE (SHOWN)  
D2938-2 RH SADDLE (OPPOSITE)

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)  
(MAKE FROM D6101-003 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP

C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.11.12	NEW ISSUE
DESIGN	DRAWN BY	DART DART AEROSPACE USA, INC.
CHECKED	APPROVED	DRAWING NO. D2938
DATE	TITLE	SADDLE OUTSIDE
06.11.09		

COPYRIGHT © 1990 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

07.02.12

UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 32208

SHOP COPY  
RETURN TO  
ENGINEERING  
DEPARTMENT

REV. C  
SHEET 1 OF 1  
SCALE  
2:3